

WILLIAM R BOND, JR., M.D.

106 Irving Street, N.W.  
Suite 312  
Washington, D.C. 20010  
(202) 726-7770

For all our patients scheduled for surgery or surgical procedures:

Did you know that even small amounts of aspirin can change your body's ability to form a clot. Aspirin taken even three weeks before your surgery can interfere with your ability to stop bleeding, so...

PLEASE TAKE NO ASPIRIN  
BEFORE OR AFTER SURGERY

DO NOT TAKE: Aspirin (acetylsalicylic acid) containing drugs.

Alka Seltzer (some preparations)	Easprin
Anacin	Ecotrin
Arthritis Pain Formula	Excedrin
Ascriptin	Midol
Bayer	Pepto-Bismol
Bufferin	Sine-Off
Coricidin	4-Way Cold Tablets

DO NOT TAKE: Aspirin-like drugs

Advil	Feldene
Nuprin (ibuprofen)	Clinoril
Naprosyn	Indocin
Motrin	Orudis
Toradol	

YOU MAY TAKE TYLENOL AND OTHER ACETAMINOPHEN PRODUCTS.

If you are on a medication not listed, please call and ask the doctor whether you can continue to take it prior to surgery. If you are looking for any other over the counter medications prior to surgery, please ask the pharmacist whether one can be recommended that contains no aspirin or ibuprofen.